

# ETCHING UNIT

## Mod. 400N

## Mod. 620N

**For a simple  
and repetitive  
pad printing  
steel plate  
etching  
process**

**Guaranteed to  
give a perfect  
result even  
for un-skilled  
operatives**

Made entirely from acid-proof material.

The etching system with its swinging spray nozzles, has been expressly designed to obtain the most even and sharp etching depth, both by line block and by screen, a fundamental criterion for a pad printing plate.

The machines are also fitted with dragging magnetic pumps which require no maintenance as etching liquid never comes into direct contact with metal parts.



# ETCHING UNIT - Mod. 400N - Mod. 620N

## ETCHING UNIT Mod. 400N

Max plate dimension	200x400 mm
Capacity	4 - 5 lt (min. - max)
Heating element	pirex - 200 W
Digital timer	from 0" to 9:59"
Digital thermostat display	from 0° to 50° C
Safety analogic thermostat	from 0° to 40° C
Size (without control panel)	450 x 550 x 480 (h) mm
Control panel size	250 x 335 x 160 (h) mm
Weight	about 20 Kg
Power supply	230 V - 50 Hz
Electrical input	700 W



## ETCHING UNIT Mod. 620N

Max plate dimension	200x620 mm
Capacity	15 - 18 lt (min. - max)
Heating element	titanium - 800 W
Digital timer	from 0" to 9:59"
Digital thermostat display	from 0° to 50° C
Safety analogic thermostat	from 0° to 40° C
Size (without control panel)	450 x 760 x 480 (h) mm
Control panel size	250 x 335 x 160 (h) mm
Weight	about 28 Kg
Power supply	230 V - 50 Hz
Electrical input	1000 W



## PRODUCT KIT FOR ETCHING UNIT

TOSH has combined in two different kits a selection of equipment and products depending on the size of plate to be etched.

- PRODUCT KIT FOR ETCHING UNIT Mod. 400N
- PRODUCT KIT FOR ETCHING UNIT Mod. 620N



SPECIFICATIONS MAY BE SUBJECT TO CHANGE WITHOUT NOTICE

**TOSH®**

MACCHINE E SERVIZI  
PER LA STAMPA SU OGGETTI



TOSH S.r.l. - Via Lambro 84, I - 20089 Quinto Stampi Rozzano (MI)  
Tel. +39 02 57566.1 (10 linee r.a.) - Fax +39 02 89200266  
E-mail: info@tosh.it [www.tosh.it](http://www.tosh.it)